

VELUX conservation roof window GVR

VELUX®

Glazing 59P



The window can be installed in roof pitches between 30° and 55° to the horizontal.

VELUX conservation roof window GVR is designed for historic buildings, yet provides modern features and good thermal performance for a pleasant indoor climate in inhabited rooms. The conservation roof window complements most traditional interiors with its wooden internal frame and lining. Available with exterior frame and flashing parts in copper or zinc for perfect integration in traditional roofs.






- All the benefits of a modern roof window in a traditional conservation design.
- Top-hung window with harmonic and symmetric aesthetics when opened.
- Combines good thermal performance with a traditional conservation design.
- Add an optional blackout blind for privacy or to darken the space for a good night's sleep.

Available sizes and daylight area

	532
702	GVR 3K2 ()
952	GVR 3K3 ()

All measurements are in mm. () = Effective daylight area, m²

Glazing features

Glazing 59P		
	Heat insulation The low energy glazing unit reduces heat loss through the window and enhanced indoor comfort.	U_g = 1.3
	Solar gain In colder climates and in rooms with large window areas, solar gain provides a better indoor climate during winter periods.	g = 0.63
	Solar protection In warm climates and in rooms with large window areas, a sun protective glazing unit provides a better indoor climate during summer periods.	★★☆☆
	Sound insulation A combination of laminated glass and extra thick glass provides better sound insulation against noise from outside (traffic, playgrounds, etc).	R_wdB = npd
	Security Thicker laminated inner glass increases resistance to manual attack (burglary).	N/A

Glazing structure

Glazing unit	Composition (from inside to outside)
Double-glazed	3 mm inner float glass with coating - 12 mm argon - 3 mm toughened outer step glass with edge treatment

Interior finish

Material Description	Clear lacquer Finished with double coat.	White-painted Finished with triple coat, white painted.
Colour code NCS, inner surface	-	S 0500-N
Colour code nearest RAL, inner surface	-	9003

Exterior covers

Material Description	Titanium zinc	Untreated copper
Colour code NCS, outer surface	No colour code	
Colour code nearest RAL, outer surface	No colour code	

Guarantee period

Further information

We reserve the right to make technical changes.

For more information on our products, please visit <https://velux.com>.