

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2015/830

SAFETY DATA SHEET

Velux Grease

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Trade name Velux Grease 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Grease Relevant identified uses of the substance or mixture (REACH) No special Uses advised against No special 1.3. Details of the supplier of the safety data sheet Company and address Kemitura A/S Industrivej 9 3540 Lynge Denmark +45 47 17 18 55 E-mail kemitura@kemitura.com SDS date 2020-10-19 SDS Version 1.0 1.4. Emergency telephone number Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures". SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Aquatic Chronic 3; H412, Harmful to aquatic life with long lasting effects. 2.2. Label elements Hazard pictogram(s) Signal word Not applicable Hazard statement(s) Harmful to aquatic life with long lasting effects. Safety statement(s) General Prevention P273, Avoid release to the environment. Response

Storage



Disposal

Hazardous substances

- No special
- 2.3. Other hazards
 - Additional labelling
 - Not applicable
 - Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Product/Ingredient name	Identifiers	% w/w	Classification	Note
Calcium dihydroxide	CAS No.: 1305-62-0 EC No.: 215-137-3 REACH No.: 01- 2119822534-42-XXXX Index No.:	20-50%	STOT SE 3, H335 Eye Dam. 1, H318 Skin Irrit. 2, H315	EU
Uorganisk zinksalt	CAS No.: EC No.: REACH No.: Index No.:	2,5-5%	Aquatic Chronic 2, H411	
Phenolderivat	CAS No.: EC No.: REACH No.: Index No.:	1-5%	Aquatic Chronic 4, H413	
zinc oxide	CAS No.: 1314-13-2 EC No.: 215-222-5 REACH No.: 01- 2119463881-32-XXXX Index No.: 030-013-00-7	1-2,5%	Aquatic Chronic 1, H410 (M=1) Aquatic Acute 1, H400 (M=1)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available. Other information

EU: European occupational exposure limit

SECTION 4: First aid measures

4.1. Description of first aid measures



General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

Eye contact

Upon irritation of the eye: Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20-30°C) for at least 5 minutes. Seek medical assistance and continue flushing during transport.

Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

Burns

Not applicable

4.2. Most important symptoms and effects, both acute and delayed

No special

4.3. Indication of any immediate medical attention and special treatment needed

No special

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Recommended: alcohol-resistant foam, carbon dioxide, powder, water mist. Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Some metal oxides.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations.



To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section on "Disposal considerations" in regard of handling of waste.

See section on 'Exposure controls/personal protection' for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.

Smoking, drinking and consumption of food is not allowed in the work area.

See section on 'Exposure controls/personal protection' for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Always store in containers of the same material as the original container. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Must be stored in a cool and well-ventilated area, away from possible sources of ignition.

Storage temperature

Temperature

Dry, cool and well ventilated

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Calcium dihydroxide

Long term exposure limit (8 hours): 5(inhalable)/1(respirable) mg/m³ Short term exposure limit (15 minutes): 4(respirable) mg/m³

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020)

DNEL

No data available

PNEC

No data available

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis. General recommendations

Smoking, eating and drinking are not allowed in the work premises

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

Airborne gas and dust concentrations must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed



thoroughly. Always wash hands, forearms and face. Measures to avoid environmental exposure

No specific requirements

Individual protection measures, such as personal protective equipment

Generally

Use only CE marked protective equipment.

Respiratory Equipment

Work situation	Туре	Class	Colour	Standards
-	No special when used as intended.	-	-	-

Skin protection

Work situation	Recommended	Type/Category	Standards
	No special when used as intended	-	

Hand protection

Work situation	Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
	Neoprene (Neoprene)	0.6	> 480	EN374-2, EN374-3, EN388	

Eye protection

Work situation	Туре	Standards	
	In the likelihood of direct or incidental exposure, use face protection.	EN166	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties
Form
Paste
Colour
Beige, sand
Odour
Faint
Odour threshold (ppm)
Testing not relevant or not possible due to nature of the product.
рН
Testing not relevant or not possible due to nature of the product.
Density (g/cm³)
1.10
Viscosity
Testing not relevant or not possible due to nature of the product.
Phase changes
Melting point (°C)
Testing not relevant or not possible due to nature of the product.
Boiling point (°C)
130.00 °C
Vapour pressure



Dete of Eva Data of Fla Igr Au Ex Ex Ox Solub So Solub So	Testing not relevant or n pour density Testing not relevant or n composition temperature Testing not relevant or n aporation rate (n-butylace Testing not relevant or n on fire and explosion haze the point (°C) 266.00 °C nition (°C) Testing not relevant or n to flammability (°C) Testing not relevant or n plosion limits (% v/v) Testing not relevant or n plosive properties Testing not relevant or n tidizing not relevant or n tidizing not relevant or n tidizing not relevant or n tidiy lubility in water Insoluble potanol/water coefficient Testing not relevant or n lubility in fat (g/L) Testing not relevant or n ther information	ot possible due e (°C) ot possible due etate = 100) ot possible due ards ot possible due ot possible due ot possible due ot possible due ot possible due ot possible due	to nature of the to nature of the	ne product. ne product. ne product. ne product. ne product. ne product. ne product. ne product.	
10.1. 1 10.2. 0 10.3. 1 10.4. 0 10.5. 1 10.6. 1	Possibility of hazardous re No special Conditions to avoid No special Incompatible materials	der the condition eactions es, strong oxidiz n products ded when used	ing agents, ar	e section "Handling and storage". nd strong reducing agents. n section 1.	
	Information on toxicologi ute toxicity	cal effects			
	Product/Ingredient name	Species	Test	Route of exposure	Result
	Calcium dihydroxide	Rat	LD50	Oral	>2000 mg/l
	,				5

Calcium dihydroxide

Uorganisk zinksalt

Rabbit

Rat

LD50

LD50

Dermal

Oral

>2500 mg/l >2500 mg/l



Phenolderivat	Rat	LC50	Oral	>2000 mg/l
Phenolderivat	Rabbit	LD50	Dermal	>2000 mg/l
zinc oxide	Rat	LD50	Oral	>2000 mg/l
zinc oxide	Rat	LD50	Inhalation	5,7 mg/l

Skin corrosion/irritation

Product/Ingredient name	Species	Test	Duration	Observation Period	Irritation Parameter	Result
Phenolderivat	Rabbit	OECD 404	No data available.	No data	-	No adverse effect observed (Not irritating)

Product tested after OECD 404. Result Not irritating Serious eye damage/irritation

Product/Ingredient name	Species	Test	Duration	Observation Period	Irritation Parameter	Result
Phenolderivat	Rabbit	OECD 405	No data available.	No data	-	No adverse effect observed (Not irritating)

Product tested after OECD 405. Result Not irritating. Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met. Germ cell mutagenicity

Based on available data, the classification criteria are not met. Carcinogenicity

Based on available data, the classification criteria are not met. Reproductive toxicity

Based on available data, the classification criteria are not met. STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met. Aspiration hazard

Based on available data, the classification criteria are not met.

Long term effects

No special

Other information

No special

SECTION 12: Ecological information

12.1. Toxicity

Product/Ingredient name	Species	Test	Duration	Result
Calcium dihydroxide	Fish	LC50	96 hours	50,6 mg/l
Calcium dihydroxide	Daphnia	EC50	48 hours	49,1 mg/l



Calcium dihydroxide	Algae	EC50	72 hours	184,57 mg/l
Uorganisk zinksalt	Daphnia	EC50	48 hours	26 mg/l
Phenolderivat	Fish	LC50	96 hours	74 mg/l
Phenolderivat	Daphnia	EC50	48 hours	>101 mg/l
Phenolderivat	Algae	EC50	72 hours	>3 mg/l
zinc oxide	Fish	LC50	96 hours	>6 mg/l
zinc oxide	Daphnia	EC50	48 hours	2,2 mg/l
zinc oxide	Algae	EC50	72 hours	0,17 mg/l

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

EWC code

Not applicable

Specific labelling

Not applicable

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

14.1 - 14.4

Not dangerous goods according to ADR, IATA and IMDG.

ADR/RID

```
Not applicable
```

IMDG

Not applicable

IATA

Not applicable

"MARINE POLLUTANT"

No

14.5. Environmental hazards

- Not applicable
- 14.6. Special precautions for user Not applicable



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2015/830

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code No data available

SECTION 15: Regulatory information

```
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
```

Restrictions for application

Restricted to professional users.

Demands for specific education

No specific requirements SEVESO - Categories / dangerous substances

Not applicable

Additional information

Not applicable

Sources

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP). Regulation (EC) 1907/2006 (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H335, May cause respiratory irritation.

H318, Causes serious eye damage.

H315, Causes skin irritation.

H411, Toxic to aquatic life with long lasting effects.

H413, May cause long lasting harmful effects to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

H400, Very toxic to aquatic life.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)



OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit. SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVCB = Complex hydrocarbon substance VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

In accordance with Regulation (EC) No. 1272/2008 (CLP) the evaluation of the classification of the substance/mixture is based on:

The classification of the substance/mixture is based on test data.

The safety data sheet is validated by

Other

SA

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.